2019 CERTIFICATION

Consumer Confidence Report (CCR)

City of Cathoun City Water Dept.

Public Water System Name

070004

Liet PWS ID 46 for all Community Water Systems included in this CCR

| | | List PWS ID #s for all Community Water Sy | ystems included in this CCR |
|---------------------------------|--|--|--|
| Conust oqua | nsumer Confident be mailed or deli- est. Make sure ye | ce Report (CCR) to its customers each year. Dep | by Public Water System (PWS) to develop and distribute ending on the population served by the PWS, this CCR or of local circulation, or provided to the customers upon the CCR. You must email, fax (but not preferred) or k all boxes that upply. |
| W | Customers wer | re informed of availability of CCR by: (Attack | h copy of publication, water bill or other) |
| | П | Advertisement in local paper (Affach ca | opy of advertisement) |
| | Ц | On water bills (Attach copy of bill) | |
| | 11 | ☐ Email message (Email the message to t | the address below) |
| | 11 | Other (recorpogen) | (water trule) |
| | Date(s) custo | omers were informed: 5 120 (2020 | 61 / 12020 / 12020 |
| 1 | | tributed by U.S. Postal Service or other di d native en water biu | irect delivery. Must specify other direct delivery |
| | Date Mailed | /Distributed: 6/ / 80 | |
| D. | CCR was distr | ibuted by Email (Email MSDH a copy) | Date Emailed: / / 2020 |
| | 11 | □ Asa URL | (Provide Direct URL, |
| | D | ☐ As an attachment | |
| | ŭ | As text within the body of the email me | ossage |
| | CCB was nubl | lished in local newspaper. (Attach copy of put | = |
| | | wspaper Calhoun Co. Tourn | |
| | | ned: 5 /20 / 2020 | |
| 1 | CCP was now | ed in public places (Attack list of locations) | Date Posted: 5 //4 / 2020 |
| | CCR was post | ed on a publicly accessible internet site at the | to howing address: |
| | | | (Provide Direct URL) |
| her above and a of the | e and that I used of perrect and is const with, Byreau of Pa | distribution methods allowed by the SDWA. I furth | his public water system in the form and manner identificate their certifity that the information included in this CCR is true do to the PWS officials by the Mississippi State Department Lefs 1200.0 |
| 0.00 | The second of the | 77TH 2079 | (8828) |
| | | Submission options (Select on | |
| | Mail: (U.S. | . Postal Service) eau of Public Water Supply | Email: water reports arms dl. ms. gov |
| | P O Boy 176 | 00 | Fax: (601) 576 - 7800 |

Jackson, MS 39215

Not a preferred method due to poor clarity

CCR Deadline to MSDH & Customers by July 1, 2020!

MAY 0 4 2020

2019 Annual Drinking Water Quality Report Calhoun City Water Department PWS#: 0070004 April 2020

We're pleased to present to you this year's Annual Quality Water Report, This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water.

If you have any questions about this report or concerning your water utility, please contact Joseph Shane Cook at 662.628,8345. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 6:30 PM at the Calhoun City- City Hall.

Our water source is from wells drawing from the Gordo Formation Aquifer. The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Calhoun City Water Department have received lower to moderate susceptibility rankings to contamination.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2019. In cases where monitoring wasn't required in 2019, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

| | | | | TEST R | ESUL 1 | S | | |
|--------------|------------------|-------------------|-------------------|---|--------------------------|------|-----|--|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measure -ment | MCLG | MCL | Likely Source of Contamination |
| Inorganic | Contar | ninants | | :M | | | | |
| 8. Arsenic | N | 2018* | 5.3 | 5.1 – 5.3 | ppb | n/a | 50 | Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes |
| 10. Barium | N | 2018* | .1759 | ₃ 16871759 | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| 13. Chromium | N | 2018* | 3.4 | 3.3 – 3.4 | ppb | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |

| 14. Copper | N | 2017/19 | 5 | 0 | ppm | 1,3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives | |
|------------------------------|--------|---------|--------|-----------------|------|------|--------|---|--|
| 16. Fluoride** | N | 2018* | .697 | .261– .697 | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories | |
| 17. Lead | N | 2017/19 | 1 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits | |
| 19. Nitrate (as Nitrogen) | N | 2019 | ,14 | No Range | ppm | 10 | 10 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits | |
| 20. Nitrite (as Nitrogen) | N | 2019 | .4 | No Range | ppm | 1 | 1 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits | |
| 21. Selenium | N | 2018* | 6.4 | 4.4 - 6.4 | ppb | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines | |
| Disinfecti | on By- | Product | S | | | , | | 7. | |
| Chlorine | N | 2019 | 7 | .3 –.8 | Mg/l | 0 | MDRL = | Water additive used to control microbes | |
| Unregula | ted Co | ntamina | nts | | | | | | |
| Sodium | N | 2019 | 250000 | 240000 - 250000 | PPB | NONE | NON | Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents. | |

^{*} Most recent sample. No sample required for 2019.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Calhoun City is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride samples results were within the optimal ranger of 0.6 - 1.2 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6 - 1.2 ppm was 85%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Calhoun City Water Department works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: this report will not be mailed to the customers individually, however, a copy may be requested from Calhoun City - City Hall.

^{**} Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.6 - 1.2 mg/l.

2019 Annual Drinking Water Quality Report Calhoun City Water Department PWSs 0070004 April 2020

We're pleased to present to you this year's Arimal Quality Water Report. The report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal to to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to confiningly improve the water vestment process and protect our water rectures. We are committed to ensuring the quality of your water.

If you have any questions about this report or concerning your water utility, please cantact Joseph Shane Cook at 662 628 6345. We went our valued customers to be informed about their water utility. If you want to loan more, please attend any of our regularly scheduled meetings. They are held on the first Totsday of each month at 6:30 PM at the Calhoun City. City Hall.

Our water source is from wells drawing from the Gordo Formstein Asulerr. The source water assessment has been completed for our public voter system to determine the overall susceptibility of its deniving water aupth; to identified protected sources of contamination. A report contamination information on now the susceptibility determinations were risacle has been farmedned to our public water system and is contamination. The special contamination is not contaminated to the contamination of the contamination.

Contamination:
We countedly monotor for contaminants in your distilling water according to Federal and State laws. This table below lists all of the direking water contaminants but we detected during the period of January 1° to Decomber 31° 2019. In cates where monitoring want 1 required in 2019, in some cases, redounter materials and can pick up substances or contaminants from the presence of names or from human active, increase an emission of the property of the surface of land or underground, it dissolves naturally occurring minerals and, increase another than a contaminants from the presence of animals or from human active, increase and widdle, inorganic contaminants, such as a size, such as a productive, such as a productive, such as a productive, such as a productive, under a contaminant, or family, occurring or result from utuan commenter of sources such as an aproductive, under a such as results and designation of the production of materials used, organic chemical contaminants, including synthese and voterile organic chemicals, which are by-products of industrial conservation production, and also cores from a productive, under the materials occurring or be the result of or any popular organic chemical contaminants, including activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that first the around of creatin contaminants in water provided by police water systems, reduction and mining amounts of some contaminants. Its important to remember that the presence of inside contaminants of some contaminants. Its important to remember that the presence of inside contaminants of some concerning indicated that the second of certain contaminants in water provided by police water systems. And printing volet, including water, may be reasonable of certain contaminants in water amounts of some contaminants. Its important to remember that the presence of inside contaminants of some concerning in the contaminants of some contaminants.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Lovel - the concentration of a confaminant which, if exceeded, triggers (reatment or other requirements which a water system must

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminent that is allowed in dunking water, MCLs are set as cose to the MCLGs as feasible using the best available treatment technology.

Maximum Confinement Level Goal (MCLG) - The 'Goal'(NICLG) is the level of a contaminant in drinking water below which there is no known of expected risk to health. MCLGs allow for a margin of safety

Marinum Remoted Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in dinnking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contembants

Managem Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (conti) or Million and per litter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per fullion (tob) or Microgrants per titer - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

| w | | | | TEST R | ESULT | rs | | |
|-------------|------------------|-------------------|-------------------|--|--------------------------|------|-------------------------------|--|
| Contaminant | Violation Y/N | Oate Collected | Level Defected | Range of Dutects or # of Samples Exceeding MCL/ACT | Unit Measure -ment | MCLG | MOL | Likely Source of Contamination |
| Inorganic | Contar | ninants | | The same of the sa | | | | L |
| 8 Arsenie | N I | | 5.3 | 51-53 | | | | |
| Sawannes - | | NY. | . 0.0 | 51+53 | ppb | n/a | 50 | Erosion of natural doposits; runoff free orchards; runoff from glass and |
| 0 Barium | N 2018* | 1759 | .16871759 | 2000 | | _ | electronics production wastes | |
| | | | 000000 | OVER COTAR | ppm | 2 | 2 | Discharge of drilling wastes; descharge from motal refinences; eroxion of nature |
| 3 Chiomuch | N | 20181 | 2.4 | 33-34 | _ | _ | | deposits |
| - | | | | 33-34 | ppb | 100 | 100 | Discharge from steef and pulp mills erosion of natural deposits |

| ta Copper | TN: | 2017/19 | | | | | | | |
|-----------------------------|--------|----------|--------|------------------|---------|--------|--------|---|--|
| | | 2017/19 | 3 | 0 | ppnt | 1.3 | ALH13 | Corresion of bousehold plumbing systems, evision of natural deposits | |
| 16 Fluoride** | N | 2018* | 697 | 261- 697 | 1 ppm | 1 | - | leaching from wood preservatives | |
| 17 Lead | | | | | J Ppill | | • | Erosion of natural deposits, water additive which promotes strong teeth, discharge from fertilizer and aluminum factories. | |
| 17 E880 | 14 | 2017/19 | 1 | 0 | ppb | 0 | AL=16 | Concesion of household plumbing | |
| 19 Nitrate (as | N | 2019 | 14 | | _ | | | systems, crosion of natural deposes | |
| Naregen) | | 4018 | -14 | No Range | ppm | 10 | 10 | Runolf from fortilizer use; leaching fro septic tanks, sewage; erosion of natur | |
| 20, Nonte (a.s. Nimogen) | N | 2019 | 4 | No Range | ppm | | | deposits | |
| 21. Selection | N | - | | | | | | Runoff from tensizer use, leaching from septic tanks, sewage, crosson of natura deposits | |
| e.i. seniculari | " | 5018- | 6.4 | 44-64 | pob | 50 | 50 | Discharge from petrolium and metal refinenes; erosion of natural deposits. | |
| Disinfecti | on By | -Product | 8 | | - | - | _ | discharge from mines | |
| Chlorina | IN | 1 2019 | * | | | | | | |
| and the second | 1 | 1 | .7 | 3-8 | 1491 | 0 | MORL = | Water addelive used to control | |
| Unregulat | ted Co | ontamina | nts | | | | | | |
| Sodium | N: | 2019 | 250000 | 240000 - 250000 | ppa | NONE I | - | T- | |
| | | | | E-10000 - E10000 | FFB | MUNE | NONE | Road Salt, Water Treatment Chemicals, Woter Softeners and Shwage Efficients | |

We are required to monitor your diricking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our diricking water meets health standards. In an effort to desure systems complete all monitoring requirements, MSDH new notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious hooth proteins, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home primiting. Our water system is respeciable for providing high quality districting water, but cannot control the variety of materials used in plumting components. When your water has been sating for cooking, if you are concerned about lead in your water, but have you can minimize the potential for lead is second, but hours, you can minimize the potential for lead is second to provide the provider of the provider is available from the Safe Drinking Water Ideation of the Distriction of the provider of the provider is available from the Safe Drinking Water Ideation of the Distriction of the provider is available from the Safe Drinking Water Ideation of the Distriction of the Provider Ideation of the Provider Ideation of the Provider Ideation of the Provider Ideation of the Ideation of I

To carrely with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Ciathoun City is required to report certain results partially to fluoridation of our water system. The number of months in the previous calendar year in which average fluorida samples results there within the optimal ranger of 0.6 – 1.2 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal ranger of 0.6 – 1.2 ppm was 85%.

All sources of drinking water are subject to potential confamination by substances that are naturally occurring or man mode. These substances can be microbes, increasing or organic chemicals and radocetive substances. All dimining water, including bottled valer, may reasonably be exercised to contain all least small amounts of some contamination. The pressures of constainments of independent or increasing increasing the potential in health rats. More information about contaminations and potential health effects can be octained by calling the increasing value from at 1,800 AG 4791.

Some people may be more vulnerable to contaminants in draking water than the general population. Immune-compromised persons such as persons with cancer underspoint chemistherapy, persons who have undergone organ transplants, people with HXVAIDS or other immune system disorders, some other, and guilded can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDG guideless on appropriate means to lessen the risk of infection by cryptosportium and other microbiological contaminants are available from the Safe Draking Water Hotine 1.800.426.4791.

The Calnoun City Water Department works around the cock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of tife and our children's future.

Please note" this report will not be mailed to the customers individually, however, a copy may be requested from Calhoun City - City Hall

More recent sample. No sample required for 2019.
 Fluoride level is routinely adjusted to the MS State Depth of Health's recommended level of 0.6 - 1.2 mg/l.

Proof Of Publication

STATE OF MISSISSIPPI, COUNTY OF CALHOUN

Personally came before me, the undersigned, a Notary Public, in and for Calinour County, Mississippi, Joel McNeece, Publisher of The Calinour County Journal, a newspaper published in Bruce, Calhour County, in said state, who being duly sworn, deposes and says that The Calinour County Journal is a newspaper as defined and prescribed in Senute Bill No. 203 enacted at the regular assistin of the Mississippi Legislature of 1948, amenting Section 1858 of the Mississippi Code of 1942, and the publication of a notice, of which annexed copy, in the matter of

CALHOUN CITY WATER DEPT. WATER QUALITY REPORT

has been made in said newspaper one time, to-wit:

On the 20 day of MAY 2020

Joel McNeece Publisher

Publi

Sworn to and subscribed before me, this the 20 day of May, 2020.

Celia D. Hillhouse, Notary Public

My commission expires February 18, 2023

SEAL



| | | | 1 10AR | |
|--|--|---|-------------------|--|
| Final Street | | - | | |
| E TOTAL | | | | the backers and seems to |
| Branch Core | | | | |
| - | | 200 | - | |
| The second colors of the secon | | | | The part than the part of the |
| - | 2000 | Section of the sec | - | |
| to the hear for the | Spiriture and many more may | | for in brondy pay | In July 10s Indian conjuncted many light |
| | | many years of beautiful | Pajal Immer | The same or a sale to the |
| - | | - | e be bytes and | |
| ***** | - | THE PERSON NAMED IN | | THE PERSON NAMED IN COLUMN |
| - | The Park of the Local | - | | |
| 275.75 | - | and the Contract of | - | *************************************** |
| Acres 2001 | | - | | CHARLES THE PARTY OF |
| Return Statement | | | | |
| 46 | 10111111111111111111111111111111111111 | - | | |
| freeze (co | | TEST & | OHATA | 7.7m |
| | - | 7 | 20 100 | My Street Street Company |
| Sangara Car | 5 1 | Tanna. | - Part | |
| Share in | lan la | 120.00 | H 1 143 | |
| Sec. 1 | | - 14 History | | - |
| | 100 | 101.10 | - 1 | Total Color and |
| Mineral In | ine lie | 11.34 | - 1 - | |
| 46. | - | | -4 | CONTRACTOR OF THE PARTY OF THE |
| T | 1000 | 1 | | - Harrison |
| When Si | las las | mar to | - 1 -1 | |
| N= 5 | Vice di | 1 | 100 | |
| Witness 14 | | N 03 | ect (00) | 700 |
| - | - | *** | -10 | of Personal Property and |
| - | | Territoria (a | | |
| Manage to | 100 m | Jones 14 | | The last way to be a fact to be |
| TAX VOLUME | 200 V | 77.75 | | " The state of the |
| Antonio from Hy | jary . | 200 | 11.1 | 711000 |
| American Co | eranda.com | 9 36 | | The street of the street of |
| | 000 | In see ja | * | ent length to the con- |
| Section 1991 has | - | gen na | 100 | - ====- |
| Transfer of the owner | allerte a mile | | mentant t | - |
| | 222 | - | - | |
| free or | | - | _ | - |
| - | - | | THE PERSON | CONTRACTOR STATE |
| water tracks the | - | the manual to bear a | | |
| The second | - | - | College from Ry | to and the same |
| Prompt and the form | | - | | and by set and man from |
| | Tree 10 10 10 10 | - | | |
| A project a paper of the | | | | STREET, SQUARE STREET |
| | | | - | |
| Programme by | | Tex. | | and the same of the same |
| | | - | | |
| | The Publisher Inches | the sections of | | |
| | | - | ******** | |
| | | munican manusia manusia manusia manusia manusia manusian manusia manusia manusia manusia manusia manusia manusia manusia manusia manusia manusia ma manusia manusia manusia ma manusia | | |

Nitrated Street Street Street Street

The Galdinian P.O. Box 278 P.O. Box 278 Proceed Market Bridge Mrs. 18915

CITY of CALHOUN CITY PO Box IE Calhoun City, MS 38916

Invoice

| Γ | Date | Involce # |
|---|-----------|-----------|
| 1 | 5/20/2020 | 24400 |

| Date | Description | Quantity | Rate | Amount |
|------------------------|--------------------------------------|----------|--------------|----------------|
| 5/20/2020 5/20/2020 | Water Report Proof of publication | 18 | 6.50 3.00 | 117.00 3.00 |
| | | Total | | \$120.00 |

0100021P 0507 8 DELEC 010654530 01725/20 05/25/70 105 WILL RIPMIT 22.00 4.00 36.60
CCR NEPORT AVAILABLE-CITY HALL.

NTR 11.00
DWR 6.00 WTR
SWR
GRB
NET DUE >>>
GROSS DUE >>> 11.00 6.00 15.00 32.00 36.00 040654500 QUAY WOLTE 105 HILL ST CALHOUN CITY MS 38916-7719 Այններիայննօրկանգրիցիկայիրկենններ